

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

COTTON VARIETIES PLANTED 1963-1967

AUG 78 2004



UNITED STATES DEPARTMENT OF AGRICULTURE
Consumer and Marketing Service Cotton Division
Memphis, Tennessee

July 1967

CONTENTS

<u>Table No.</u>		<u>Page No.</u>
	Introduction	1
	Leading Varieties	1
	United States Map	2
1.	Varieties by states	
	Virginia, North Carolina, South Carolina, Georgia	3
	Florida, Alabama, Mississippi, Illinois	4
	Kentucky, Tennessee, Missouri, Arkansas	5
	Louisiana, Oklahoma, Texas, New Mexico	6
	Arizona, Nevada, California	7
2.	Raleigh classing office, varieties by counties	8
3.	Columbia classing office, varieties by counties	9
4.	Augusta classing office, varieties by counties	10
5.	Atlanta classing office, varieties by counties	10
6.	Birmingham classing office, varieties by counties	11
7.	Montgomery classing office, varieties by counties	12
8.	Greenwood classing office, varieties by counties	13
9.	Jackson classing office, varieties by counties	13
10.	Memphis classing office, varieties by counties	14
11.	Hayti classing office, varieties by counties	15
12.	Blytheville classing office, varieties by counties	15
13.	Little Rock classing office, varieties by counties	16
14.	Winnsboro classing office, varieties by counties	17
15.	Alexandria classing office, varieties by counties	17
16.	Altus classing office, varieties by counties	18
17.	Dallas classing office, varieties by counties	19
18.	Austin classing office, varieties by counties	20
19.	Corpus Christi classing office, varieties by counties	20
20.	Harlingen classing office, varieties by counties	21
21.	Abilene classing office, varieties by counties	21
22.	Lubbock classing office, varieties by counties	22
23.	El Paso classing office, varieties by counties	23
24.	Carlsbad classing office, varieties by counties	23
25.	Phoenix classing office, varieties by counties	24
26.	Fresno classing office, varieties by counties	24
27.	Bakersfield classing office, varieties by counties	25
28.	El Centro classing office, varieties by counties	25
29.	Estimated percentage of American-Egyptian cotton acreage planted to specified varieties, by states, 1963-1967	26
30.	Estimated percentage of American-Egyptian cotton acreage planted to specified varieties, by classing office territories, crop of 1967	27

Cotton Varieties Planted, United States
1963-1967

Estimates of the percentages of the various varieties of cotton planted in the United States in 1967, by counties, Smith-Doxey cotton classing office territories and states are presented in this report. Comparative variety data for the four years 1963-1966 are shown by states. A preliminary report containing percentage distributions of cotton varieties planted by counties and cotton classing office territories in the early harvesting area of south Texas was published in mid-June.

The variety data presented herein are based principally on estimates furnished by cotton ginners for the territories served by their gins. Supplemental information is obtained by others closely associated with cotton culture in their respective areas, such as seed breeders, seed dealers, farmers and county agents. These estimates should serve as reliable guides as to the geographic distribution of various varieties grown throughout the Cotton Belt.

This year's estimates indicate that four general varieties account for over two-thirds of the cotton acreage in the United States. These varieties in order of their relative importance are Stoneville, Deltapine, Acala and Lankart. A percentage distribution of the ten leading general varieties planted in 1967, with comparisons for the four previous years, is presented at the foot of this page. All strains of each particular variety are combined for comparative purposes.

Stoneville remains the leading variety of cotton planted in the United States with 20 percent of the total acreage, the same proportion as a year earlier. Stoneville is the principal variety planted in Arkansas, Mississippi and Missouri.

The next two leading varieties, Deltapine and Acala, each account for about 17 percent of total United States planted acreage. Estimates indicate that acreage planted to Deltapine is down slightly from the previous year while Acala's popularity increased substantially from a year earlier. Deltapine continues to be the leading variety in Arizona, Kentucky and Louisiana. Acala is the predominating variety in California, New Mexico and southwest Texas (Carlsbad and El Paso classing office territories of Texas).

The fourth leading variety planted this year is Lankart, which accounts for 14 percent of the total acreage. This is a slight increase from the previous year and is the highest proportion planted to this variety since 1959.

In the southeastern area of the belt, Carolina Queen remains the leading variety and accounts for 40 percent of the total acreage in that area. Coker ranks second with 34 percent and is the leading variety in the Carolinas. The sharp increase in acreage planted to this variety is due primarily to the rising popularity of the new Coker 413 strain. Dixie King is the third most popular variety accounting for 11 percent of the total acreage in the southeastern states.

In the south central area, Stoneville continues to increase in popularity and accounts for 47 percent of total acreage against 45 percent last year. Deltapine is the second leading variety with 37 percent of 1967 acreage. Dixie King is the third leading variety and accounts for five percent of the total acreage. Dixie King continues to be the principal variety planted in Tennessee.

In the southwestern area, Lankart remains the most prominent variety and accounts for 38 percent of the acreage planted. Paymaster is the second leading variety with 13 percent of the total acreage in this two-state area compared with 12 percent last season. Stoneville continues to be the third most popular variety in 1967 with 13 percent of the total.

In the western area, Acala shows a marked increase over a year earlier and accounts for three-fourths of the total acreage. Acala SJ-1, the leading Acala strain, has largely replaced Acala 4-42 in the San Joaquin Valley of California and represents 87 percent of that state's planted acreage. In Arizona, Hopicala is the most popular Acala while 1517C is the predominating strain in Texas and New Mexico. Deltapine Smooth Leaf ranks second in the western states and is the leading variety in Arizona and the Imperial Valley of California.

Pima S-2 remains the leading variety of American-Egyptian cotton planted in 1967 with 56 percent against 80 percent in 1966. The relatively new Pima strains S-3 and S-4 are fast gaining in popularity with an increase in acreage planted to S-3 in Texas and New Mexico, and a substantial increase in acreage of the S-4 strain in Arizona and California.

Estimated percentage of cotton acreage planted to specified varieties, United States, 1963-1967

Year	Acala	Carolina Queen	Coker	Delta-pine	Dixie King	Lankart	Pay-master	Rex	Stone-ville	Western Stormproof	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	14	*	7	25	3	9	4	6	8	2	22	100
1964	13	4	6	25	3	11	2	5	13	2	16	100
1965	14	7	4	22	4	11	2	4	18	2	12	100
1966	13	8	2	19	4	13	4	3	20	2	12	100
1967	17	5	5	17	3	14	5	1	20	2	11	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

UNITED STATES

Smith-Doxey Cotton Classing Office Territories




Table 1. Estimated percentage of cotton acreage planted to specified varieties, by states, 1963-1967

Virginia

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 102	Coker 413	DeKalb	McNair	Rex	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	9,395	-	72	-	-	5	-	23	-	100
1964	11,477	4	74	-	-	4	-	17	1	100
1965	6,481	23	55	-	-	4	-	17	1	100
1966	2,215	41	36	-	-	2	5	16	-	100
1967	-	65	12	10	4	-	6	2	1	100

North Carolina

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	Dixie King	McNair	Rex	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	361,946	3	59	-	-	1	-	34	3	100
1964	388,227	27	42	-	-	1	-	28	2	100
1965	235,760	46	32	-	-	1	2	18	1	100
1966	100,846	43	17	-	4	1	29	6	*	100
1967	-	31	5	17	24	1	19	1	2	100

South Carolina

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 413	DeKalb	Dixie King	McNair	Rex	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	464,274	5	82	-	1	6	-	4	2	100
1964	564,796	37	56	-	*	3	-	1	3	100
1965	507,187	65	30	*	1	1	-	2	1	100
1966	289,233	80	13	2	*	1	4	*	*	100
1967	-	44	7	38	-	*	2	*	9	100

Georgia

Season beginning August 1	Ginnings	Auburn	Carolina Queen	Coker 100	Coker 413	DPL Smooth Leaf	Dixie King	Empire	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	604,370	11	3	49	-	1	12	16	8	100
1964	616,851	7	31	35	-	2	8	11	6	100
1965	561,553	4	53	25	-	1	8	6	3	100
1966	316,886	3	69	15	-	1	5	3	4	100
1967	-	1	56	11	20	*	5	2	5	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 1. Estimated percentage of cotton acreage planted to specified varieties, by states, 1963-1967 (Continued)

Florida

Season beginning August 1	Ginnings	Auburn	Carolina Queen	Coker 100	Coker 413	Dixie King	McNair	Wannamaker All-in-one	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	14,936	24	-	50	-	1	-	4	21	100
1964	13,555	23	23	41	-	1	-	1	11	100
1965	12,185	12	37	35	-	2	-	2	12	100
1966	8,490	4	75	15	-	1	-	-	5	100
1967	-	1	49	16	10	7	9	7	1	100

Alabama

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 413	Dixie King	Empire	Rex	Stoneville	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	874,225	*	23	-	27	17	5	1	27	100
1964	887,462	12	20	-	26	13	8	3	18	100
1965	849,077	23	15	-	27	10	8	3	14	100
1966	463,192	30	10	-	28	6	9	8	9	100
1967	-	28	9	10	23	6	7	7	10	100

Mississippi

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 413	Delta-pine	DPL Smooth Leaf	Dixie King	Stoneville	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	2,110,642	*	2	-	6	65	2	15	10	100
1964	2,223,221	1	1	-	3	58	2	28	7	100
1965	2,019,494	1	1	-	2	51	2	40	3	100
1966	1,352,742	1	1	-	2	44	2	48	2	100
1967	-	2	1	2	4	36	1	52	2	100

Illinois

Season beginning August 1	Ginnings	Auburn	Delta-pine	Empire WR	Fox	Rex	Stoneville	Other 1/	---	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	1,776	-	-	2	57	41	-	-	-	100
1964	1,955	-	-	-	65	35	-	-	-	100
1965	1,221	1	9	-	28	28	34	-	-	100
1966	176	-	32	-	30	8	30	-	-	100
1967	-	-	-	-	70	-	30	-	-	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 1. Estimated percentage of cotton acreage planted to specified varieties, by states, 1963-1967 (Continued)

Kentucky

Season beginning August 1	Ginnings	Delta-pine	DPL Smooth Leaf	Dixie King	Fox	Rex	Stone-ville	Other <u>1/</u>	---	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1963	5,473	-	62	2	3	30	-	3	-	100
1964	4,493	10	48	-	5	35	-	2	-	100
1965	5,089	15	40	-	4	36	5	-	-	100
1966	1,374	24	42	3	3	20	8	-	-	100
1967	-	14	38	-	4	5	38	1	-	100

Tennessee

Season beginning August 1	Ginnings	Auburn	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Rex	Stone-ville	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1963	644,066	*	6	32	28	16	7	5	6	100
1964	665,691	*	6	32	25	15	7	10	5	100
1965	626,913	4	5	28	27	12	7	14	3	100
1966	363,372	2	4	24	34	9	6	17	4	100
1967	-	*	2	22	35	9	6	16	10	100

Missouri

Season beginning August 1	Ginnings	Auburn	Delta-pine	DPL Smooth Leaf	Dixie King	Fox	Rex	Stone-ville	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1963	460,433	4	2	14	3	8	40	19	10	100
1964	419,088	9	1	11	*	5	25	41	8	100
1965	393,091	5	4	11	-	3	19	52	6	100
1966	164,573	6	9	5	1	2	21	52	4	100
1967	-	8	12	3	1	-	9	61	6	100

Arkansas

Season beginning August 1	Ginnings	Auburn	Delfos	Delta-pine	DPL Smooth Leaf	Dixie King	Rex	Stone-ville	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1963	1,500,900	1	14	5	26	1	33	16	4	100
1964	1,583,169	1	8	3	26	1	25	34	2	100
1965	1,445,430	1	7	3	21	1	16	48	3	100
1966	763,896	1	5	5	19	1	12	54	3	100
1967	-	*	4	9	18	1	7	56	5	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 1. Estimated percentage of cotton acreage planted to specified varieties, by states, 1963-1967 (Continued)

Louisiana

Season beginning August 1	Ginnings	Auburn	Carolina Queen	Coker 413	DeKalb	Delta-pine	DPL Smooth Leaf	Stone-ville	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	675,212	1	-	-	*	11	67	18	3	100
1964	587,905	1	1	-	*	6	62	28	2	100
1965	558,890	1	1	-	1	9	53	35	*	100
1966	448,766	1	1	-	1	8	50	39	*	100
1967	-	*	-	2	-	12	49	37	*	100

Oklahoma

Season beginning August 1	Ginnings	DPL Smooth Leaf	Lankart	Lockett	Northern Star	Parrot	Paymaster	Stone-ville	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	324,589	6	58	1	11	6	1	5	12	100
1964	278,065	5	59	1	12	5	*	6	12	100
1965	357,739	2	59	2	15	4	2	3	13	100
1966	210,952	8	64	4	4	5	2	3	10	100
1967	-	8	68	5	2	2	6	3	6	100

Texas

Season beginning August 1	Ginnings	Acala	DPL Smooth Leaf	Gregg	Lankart	Paymaster	Stone-ville	Western Storm-proof	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	4,350,433	4	4	21	25	12	10	6	18	100
1964	4,034,329	4	4	14	34	8	9	7	20	100
1965	4,602,290	5	6	9	36	9	12	6	17	100
1966	3,125,486	4	4	6	37	12	12	8	17	100
1967	-	6	3	3	38	15	14	6	15	100

New Mexico

Season beginning August 1	Ginnings	Acala 1517BR	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517 Stroman	Gregg	Rilcot	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	227,615	5	25	45	-	-	11	1	13	100
1964	221,067	15	29	37	*	-	6	3	10	100
1965	205,660	17	33	36	1	1	4	1	7	100
1966	157,639	7	17	36	19	5	3	5	8	100
1967	-	12	34	18	22	3	2	1	8	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 1. Estimated percentage of cotton acreage planted to specified varieties, by states, 1963-1967 (Continued)

Arizona

Season beginning August 1	Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	Delta-pine	DPL Smooth Leaf	Hopicala	Stone-ville	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	758,336	3	2	4	-	84	-	5	2	100
1964	739,371	1	5	3	*	84	-	5	2	100
1965	738,649	11	4	3	6	69	1	5	1	100
1966	475,828	2	3	3	5	77	3	6	1	100
1967	-	7	3	3	2	65	8	4	8	100

Nevada

Season beginning August 1	Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	Del Cerro	DPL Smooth Leaf	Hopicala	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	5,267	1	34	33	-	13	9	-	10	100
1964	5,045	*	97	-	-	1	2	-	-	100
1965	3,806	1	93	6	-	*	-	*	*	100
1966	3,534	1	66	24	7	-	-	2	-	100
1967	-	-	17	26	57	-	-	-	-	100

California

Season beginning August 1	Ginnings	Acala 4-42	Acala SJ-1	Imperial Acala	Del Cerro	Delta-pine	DPL Smooth Leaf	Stone-ville	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1963	1,734,887	87	-	-	-	-	13	*	*	100
1964	1,786,547	87	-	-	-	-	13	*	*	100
1965	1,716,777	87	-	-	*	-	12	1	-	100
1966	1,241,997	86	-	-	1	-	9	1	3	100
1967	-	3	87	4	*	1	5	*	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 2. Raleigh Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Carolina Queen	Coker 100A	Coker 413	Coker 201	Dixie King	McNair 1032	Rex	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>North Carolina:</u>											
Anson	6	4,030	47	7	25	-	-	21	-	-	100
Cleveland	15	8,913	37	2	50	7	-	2	-	2	100
Cumberland	3	1,179	12	-	7	76	-	3	2	-	100
Edgecombe	6	3,279	34	1	7	15	-	37	-	6	100
Franklin	6	1,016	60	8	3	3	-	20	-	6	100
Halifax	14	10,582	31	2	21	19	-	27	-	-	100
Harnett	7	5,578	31	5	17	46	-	1	-	-	100
Iredell	6	1,252	55	1	17	3	9	13	-	2	100
Johnston	7	2,169	38	6	18	-	-	36	-	2	100
Lincoln	4	1,447	54	18	6	5	5	-	5	7	100
Mecklenburg	4	1,360	29	2	48	21	-	-	-	-	100
Nash	9	2,945	33	4	2	2	-	52	-	7	100
Northhampton	14	10,094	32	6	14	30	-	18	-	-	100
Pitt	4	1,195	34	4	27	21	-	12	-	2	100
Robeson	17	9,016	23	5	42	14	-	14	-	2	100
Rowan	3	1,388	53	9	5	-	9	17	-	7	100
Rutherford	4	1,040	43	14	6	-	32	-	-	5	100
Sampson	8	6,468	31	2	22	31	-	11	3	-	100
Scotland	7	11,589	16	9	20	15	-	38	-	2	100
Union	5	3,241	25	10	58	1	-	-	3	3	100
Warren	4	1,047	27	31	4	-	-	25	3	10	100
Wilson	7	1,702	44	4	22	7	-	19	-	4	100
All other	24	10,316	26	5	25	13	2	25	1	3	100
Total	184	100,846	31	5	24	17	1	19	1	2	100
<u>Virginia:</u>											
Greensville	3	1,514	68	5	6	15	-	6	-	-	100
Mecklenburg	3	149	40	16	-	-	-	14	21	9	100
All other	5	552	62	31	-	-	-	4	1	2	100
Total	11	2,215	65	12	4	10	-	6	2	1	100
Classing Office Total	195	103,061	31	5	24	17	1	19	1	2	100

1/ Includes small acreages planted to varieties other than those specified.

Table 3. Columbia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	Dixie King	McNair 1032	Wannamaker All-in-one	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>South Carolina:</u>											
Abbeville	3	4,103	61	2	6	31	-	-	-	-	100
Aiken	6	8,708	63	14	-	22	-	1	-	-	100
Allendale	3	3,993	14	62	-	22	2	-	-	-	100
Anderson	10	7,385	24	4	16	49	6	1	-	-	100
Bamberg	4	9,627	60	-	-	40	-	-	-	-	100
Barnwell	4	6,038	54	13	25	8	-	-	-	-	100
Calhoun	6	12,077	35	3	30	25	-	-	7	-	100
Cherokee	4	3,076	47	18	-	35	-	-	-	-	100
Chester	4	2,072	26	10	10	47	-	-	-	7	100
Chesterfield	5	7,796	56	3	5	36	-	-	-	-	100
Clarendon	13	22,684	41	5	6	43	-	5	-	-	100
Colleton	3	1,594	67	-	-	33	-	-	-	-	100
Darlington	7	12,743	31	1	16	52	-	-	-	-	100
Dillon	9	9,253	24	-	-	76	-	-	-	-	100
Dorchester	4	3,432	79	19	-	2	-	-	-	-	100
Edgefield	5	5,381	45	21	-	34	-	-	-	-	100
Florence	11	11,266	43	5	-	49	-	3	-	-	100
Greenville	3	2,125	28	-	-	72	-	-	-	-	100
Hampton	5	5,110	53	18	-	7	-	22	-	-	100
Lancaster	3	1,858	47	8	13	32	-	-	-	-	100
Laurens	7	3,770	39	4	-	48	-	-	7	2	100
Lee	13	25,847	32	6	11	50	-	1	-	-	100
Lexington	3	4,610	15	-	10	75	-	-	-	-	100
Marion	4	2,704	21	22	7	50	-	-	-	-	100
Marlboro	12	16,727	40	-	24	36	-	-	-	-	100
Newberry	3	1,604	28	36	36	-	-	-	-	-	100
Orangeburg	28	37,822	40	10	17	33	-	-	-	-	100
Richland	3	2,557	79	-	-	21	-	-	-	-	100
Spartanburg	5	3,721	48	6	-	45	1	-	-	-	100
Sumter	16	28,256	61	2	3	30	-	4	-	-	100
Williamsburg	8	7,125	54	17	2	19	-	8	-	-	100
York	5	4,066	26	-	20	54	-	-	-	-	100
All other	14	10,103	41	13	-	46	-	-	-	-	100
Classing Office Total	233	289,233	44	7	9	38	*	2	*	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 4. Augusta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Atlas	Auburn 56	Carolina Queen	Coker 100	Coker 413	Dixie King	McNair 1032	Other ^{1/}	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Georgia:											
Bullock	5	5,690	-	2	44	15	17	8	11	3	100
Burke	13	20,448	-	-	57	14	25	3	-	1	100
Candler	3	2,776	-	-	84	9	5	-	2	-	100
Emanuel	5	6,726	-	-	88	12	-	-	-	-	100
Jefferson	9	12,027	-	-	88	7	1	3	1	-	100
Johnson	4	5,273	-	-	69	16	15	-	-	-	100
Laurens	7	14,002	-	-	75	8	7	1	8	1	100
Morgan ^{2/}	9	4,377	9	-	-	-	48	43	-	-	100
Screven	5	7,306	-	-	60	24	8	8	-	-	100
Toombs	4	4,736	-	-	82	7	7	4	-	-	100
Washington	6	8,976	-	-	77	6	17	-	-	-	100
All other	29	25,932	-	2	75	13	3	7	-	-	100
Classing Office Total	99	118,269	*	1	69	12	11	5	2	*	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

^{2/} Includes the portion of the county served by Atlanta Classing Office.

Table 5. Atlanta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Auburn 56	Carolina Queen	Coker 100-A	Coker 413	Dixie King	Empire	McNair 1032	Other ^{1/}	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Georgia:											
Bartow	7	8,975	-	55	2	12	14	13	-	4	100
Bleckley	3	4,342	-	88	12	-	-	-	-	-	100
Brooks	4	1,620	-	88	3	-	-	-	8	1	100
Calhoun	3	4,131	-	14	5	80	-	-	-	1	100
Colquitt	7	11,708	2	52	34	11	-	-	-	1	100
Coweta	3	2,223	-	-	29	-	28	41	-	2	100
Crisp	4	10,125	-	46	5	35	-	-	14	-	100
Dodge	4	3,590	-	92	8	-	-	-	-	-	100
Dooly	11	18,352	-	4	-	96	-	-	-	-	100
Floyd	4	2,512	-	52	24	1	21	-	-	2	100
Gordon	3	2,399	-	8	-	2	34	52	-	4	100
Hart	4	3,745	-	68	14	16	2	-	-	-	100
Macon	3	4,244	-	51	2	36	-	-	8	3	100
Meriwether	4	2,482	-	67	18	13	2	-	-	-	100
Mitchell	4	4,828	4	59	9	27	-	-	1	-	100
Morgan ^{2/}	-	-	-	-	-	-	-	-	-	-	-
Oconee	3	2,180	-	-	-	72	-	-	-	28	100
Pike	3	2,945	-	79	-	3	-	14	-	4	100
Pulaski	4	6,671	-	66	29	1	-	-	4	-	100
Sumter	5	8,682	-	57	2	13	7	3	11	7	100
Taylor	7	6,958	-	38	1	52	8	-	-	1	100
Terrell	4	7,472	-	31	-	59	-	3	-	7	100
Thomas	3	2,634	-	12	1	82	-	-	5	-	100
Tift	3	4,581	-	79	21	-	-	-	-	-	100
Turner	3	5,610	-	74	11	-	7	-	3	5	100
Walton	5	5,615	-	73	5	-	5	-	-	17	100
Wilcox	4	5,084	-	63	23	-	10	2	-	2	100
Worth	5	5,582	-	67	11	19	-	-	3	-	100
All other	49	49,327	5	49	15	12	6	4	3	6	100
Total	166	198,617	1	49	11	26	4	3	3	3	100
Florida											
Total	1	664	-	90	-	-	-	-	10	-	100
Classing Office Total	167	199,281	1	49	11	26	4	3	3	3	100

^{1/} Includes small acreages planted to varieties other than those specified.

^{2/} Data for Morgan County shown in Table 4, Augusta Classing Office.

Table 6. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Carolina Queen	Coker 413	Dixie King 2	Empire	McNair 1032	Rex Smooth Leaf	Stone-ville 213	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Alabama:</u>											
Blount	4	3,838	11	34	28	5	2	9	-	11	100
Calhoun	4	3,049	23	-	62	5	-	-	-	10	100
Cherokee	12	19,312	21	10	68	-	-	-	-	1	100
Colbert	6	13,906	7	4	5	-	8	9	45	22	100
Cullman	19	10,014	39	4	49	4	1	3	-	-	100
DeKalb	21	17,294	18	11	51	7	-	3	-	10	100
Etowah	5	3,526	31	9	59	-	-	-	-	1	100
Fayette	3	6,785	32	8	21	-	2	21	14	2	100
Franklin	4	5,672	12	8	22	3	22	22	3	8	100
Jackson	9	8,912	5	2	42	35	2	7	1	6	100
Lamar	4	5,584	38	5	26	3	-	6	2	20	100
Lauderdale	10	15,495	21	14	15	8	-	13	17	12	100
Lawrence	15	23,382	24	11	9	6	1	8	37	4	100
Limestone	19	35,657	31	14	1	18	-	13	10	13	100
Madison	23	39,359	10	13	14	31	1	26	3	2	100
Marion	4	5,484	16	4	39	2	-	14	-	25	100
Marshall	16	11,690	34	6	44	7	1	-	-	8	100
Morgan	12	11,179	27	9	21	5	-	20	18	-	100
Pickens	6	8,354	17	1	66	-	-	1	4	11	100
Randolph	3	1,265	42	-	29	8	-	-	-	21	100
Shelby	3	5,197	19	6	26	-	24	-	-	25	100
Tuscaloosa	5	8,400	56	10	18	-	3	4	8	1	100
All other	7	7,585	35	30	32	-	-	2	-	1	100
Classing Office Total	214	270,939	23	10	27	10	2	11	10	7	100

1/ Includes small acreages planted to varieties other than those specified.

Table 7. Montgomery Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1966.

State and County	Gins	1966 Ginnings	Auburn 56	Carolina Queen	Coker 100	Coker 413	DPL Smooth Leaf	Dixie King 2	McNair 1032	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Alabama:											
Autauga	4	6,311	-	2	1	93	-	-	-	4	100
Barbour	4	5,582	-	51	32	-	-	15	1	1	100
Butler	3	3,569	1	64	5	1	-	9	-	20	100
Conecuh	4	5,002	-	21	61	2	2	3	6	5	100
Covington	5	6,813	-	24	30	11	-	29	5	1	100
Crenshaw	4	3,618	1	52	18	-	2	21	6	-	100
Dallas	9	16,368	5	27	21	6	-	14	18	9	100
Elmore	6	10,196	5	17	19	33	-	14	10	2	100
Escambia	3	6,511	-	30	59	2	-	4	5	-	100
Geneva	8	10,803	3	59	23	1	-	12	2	-	100
Hale	6	9,795	-	43	5	6	5	37	4	-	100
Henry	4	8,071	-	48	-	-	-	28	-	24	100
Houston	7	6,666	8	48	9	1	-	31	2	1	100
Lowndes	4	4,942	-	46	40	-	-	-	12	2	100
Macon	4	10,258	21	21	7	11	-	3	22	15	100
Marengo	5	8,634	-	21	2	15	3	33	25	1	100
Monroe	6	7,969	-	20	62	1	-	10	7	-	100
Montgomery	5	4,827	20	53	4	9	-	6	8	-	100
Perry	4	4,907	-	49	-	-	25	20	6	-	100
Pike	4	3,248	44	36	15	-	-	1	4	-	100
Russell	3	5,962	-	63	13	4	-	19	-	1	100
Sumter	4	5,474	2	45	8	1	3	37	3	1	100
Wilcox	4	6,458	-	21	30	2	-	41	6	-	100
All other	20	30,269	5	29	17	10	4	21	9	5	100
Total	130	192,253	4	34	19	10	2	18	8	5	100
Florida:											
Total	4	7,826	1	46	17	11	1	8	9	7	100
Classing Office Total											
Office Total	134	200,079	4	35	19	10	2	18	8	4	100

1/ Includes small acreages planted to varieties other than those specified.

Table 8. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Carolina Queen	Coker 413	DPL Smooth Leaf	DPL 15A	DPL 45A	Stoneville 7A	Stoneville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>											
Boliver	47	132,625	-	-	44	9	13	3	29	2	100
Carroll	4	9,701	2	-	39	6	-	-	53	-	100
Coahoma	41	104,803	-	1	19	-	-	7	71	2	100
De Soto 2/	4	9,203	-	5	10	-	-	-	85	-	100
Holmes	20	48,523	-	-	73	1	-	-	23	3	100
Humphreys	15	50,642	-	3	43	-	-	12	41	1	100
Issaquena	3	9,048	-	-	86	-	-	-	12	2	100
Leflore	29	79,806	-	-	47	-	-	1	49	3	100
Madison 3/	3	7,291	-	-	39	-	-	-	61	-	100
Montgomery 3/	3	3,218	-	-	59	-	-	-	41	-	100
Panola 2/	8	18,571	-	9	15	-	-	-	76	-	100
Quitman	21	51,698	-	1	20	-	-	5	72	2	100
Sharkey	14	33,221	-	-	55	-	-	-	44	1	100
Sunflower	38	135,581	-	-	23	1	2	11	62	1	100
Tallahatchie	22	57,938	-	-	53	3	-	2	42	-	100
Tunica	18	37,529	-	25	27	-	-	-	45	3	100
Washington	39	107,023	-	-	17	-	15	2	66	-	100
Yazoo	14	49,895	2	3	26	8	-	5	55	1	100
All other	3	7,602	1	5	61	-	-	-	32	1	100
Classing Office Total	346	953,918	*	2	35	2	4	4	52	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Memphis Classing Office.

3/ A portion of this county is served by Jackson Classing Office.

Table 9. Jackson Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Auburn 56	Carolina Queen	Coker 100	Coker 413	DPL Smooth Leaf	Dixie King	Stoneville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>											
Amite	4	2,075	-	-	-	-	52	-	45	3	100
Attala	5	9,559	-	2	9	-	36	-	51	2	100
Clay	4	4,532	-	1	-	1	76	1	20	1	100
Copiah	4	5,333	-	13	-	-	50	-	37	-	100
Hinds	7	15,553	-	-	-	-	60	-	40	-	100
Jefferson Davis	4	8,525	1	51	-	-	24	-	21	3	100
Lauderdale	3	2,962	14	43	15	2	26	-	-	-	100
Lawrence	3	3,835	-	43	-	6	25	1	25	-	100
Leake	4	9,359	-	-	36	-	45	-	19	-	100
Lowndes	7	8,815	-	8	-	5	57	-	30	-	100
Madison 2/	7	16,089	-	-	-	2	19	-	79	-	100
Marion	3	2,594	-	42	-	-	35	1	14	8	100
Montgomery 2/	3	4,144	-	-	-	-	50	-	50	-	100
Noxubee	5	8,235	1	2	-	2	68	-	27	-	100
Scott	4	5,652	-	2	1	-	93	-	4	-	100
Walthall	4	2,324	-	28	6	-	52	-	-	14	100
Webster	5	7,743	-	2	-	-	42	2	54	-	100
Winston	4	9,001	-	26	7	-	44	3	19	1	100
All other	28	45,301	4	14	6	*	47	3	18	8	100
Total	108	171,631	1	7	5	1	50	1	34	1	100
<u>Louisiana</u>											
Total	3	1,698	-	-	-	-	57	-	18	25	100
Classing Office Total	111	173,329	1	11	5	1	46	1	31	4	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Greenwood Classing Office.

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Carolina Queen	Coker 413	DPL Smooth Leaf	DPL 45	Dixie King 2	Rex Smooth Leaf	Stoneville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Tennessee:</u>											
Carroll	12	14,771	-	3	3	-	56	-	4	34	100
Chester	6	6,506	1	-	31	1	46	19	-	2	100
Crockett	12	27,417	-	8	44	6	26	-	9	7	100
Dyer	15	25,150	-	2	13	-	21	9	52	3	100
Fayette	15	21,175	1	5	18	-	14	5	37	20	100
Gibson	20	39,708	-	5	13	-	32	-	18	32	100
Giles	4	2,383	40	-	-	-	16	10	-	34	100
Hardeman	10	13,154	1	1	42	-	25	7	21	3	100
Hardin	4	3,967	-	-	4	-	88	-	2	6	100
Haywood	17	30,926	3	14	27	1	39	2	8	6	100
Henderson	10	8,689	-	-	12	-	56	12	-	20	100
Lake	10	11,963	-	2	50	9	-	4	35	-	100
Lauderdale	17	33,045	-	1	20	5	32	7	25	10	100
Lawrence	8	11,614	-	-	-	-	48	21	-	31	100
Lincoln	5	8,387	5	2	-	-	13	36	6	38	100
McNairy	13	10,899	-	-	19	-	70	7	1	3	100
Madison	18	24,089	-	4	37	-	45	-	4	10	100
Obion	6	5,175	-	-	11	-	47	-	18	24	100
Shelby	16	18,961	-	1	7	5	30	9	18	30	100
Tipton	17	35,392	-	-	33	1	49	3	5	9	100
Weakley	4	3,881	-	6	2	-	44	-	8	40	100
All other	8	6,120	-	-	1	-	28	16	8	47	100
Total	247	363,372	*	4	22	2	35	6	16	15	100
<u>Illinois:</u>											
Total	2	176	-	-	-	-	-	-	30	70	100
<u>Kentucky:</u>											
Total	2	1,374	-	-	38	14	-	5	38	5	100
<u>Arkansas:</u>											
Crittenden	36	52,590	-	3	4	7	-	25	47	14	100
All other	1	850	-	-	-	-	-	25	70	5	100
Total	37	53,440	-	3	4	7	-	25	47	14	100
<u>Mississippi:</u>											
Alcorn	5	7,997	23	-	-	-	30	-	47	-	100
Benton	4	6,429	8	-	30	-	-	1	54	7	100
Calhoun	7	15,352	-	-	16	-	-	-	46	38	100
Chickasaw	6	13,446	-	1	39	14	*	-	45	1	100
De Soto 2/	8	11,187	-	2	40	-	9	8	37	4	100
Grenada 2/	3	6,674	-	2	48	-	-	-	48	2	100
Itawamba	5	6,080	-	4	25	-	3	1	63	4	100
Lafayette	3	6,368	-	-	33	-	-	-	60	7	100
Lee	9	13,555	-	-	26	1	2	3	67	1	100
Marshall	13	20,545	-	-	69	1	-	3	24	3	100
Monroe	12	18,984	-	10	64	*	*	-	25	1	100
Panola 2/	12	21,163	-	1	31	-	-	-	61	7	100
Pontotoc	7	12,931	7	-	16	-	1	-	75	1	100
Prentiss	8	9,313	28	-	1	-	22	-	41	8	100
Tate 2/	9	20,492	-	3	42	-	1	-	42	12	100
Tippah	8	12,702	10	5	27	-	3	16	37	2	100
Tishomingo	4	5,163	15	-	-	-	26	4	55	-	100
Union	5	7,247	2	-	25	-	3	6	64	-	100
Yalobusha	3	11,565	-	7	77	3	-	-	13	-	100
Total	131	227,193	4	2	36	1	4	2	45	6	100
Classing Office Total	419	645,555	2	3	25	2	21	6	29	12	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Greenwood Classing Office.

Table 11. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Auburn M	Coker 413	DPL 45	DPL 45A	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other <u>1/</u>	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Missouri:</u>											
Butler	7	4,969	1	-	3	-	-	35	53	8	100
Dunklin	34	44,249	15	10	-	10	11	12	30	12	100
Mississippi	12	8,467	-	10	35	-	5	28	11	11	100
New Madrid	30	39,931	11	-	-	10	7	22	40	10	100
Pemiscot	29	54,255	3	-	3	8	4	16	59	7	100
Scott	5	3,663	-	-	27	-	-	31	36	6	100
Stoddard	8	7,823	13	-	16	-	11	7	46	7	100
All other	1	1,216	-	-	-	-	-	63	18	19	100
Classing Office Total	126	164,573	8	3	4	8	8	18	43	8	100

1/ Includes small acreages planted to varieties other than those specified.

Table 12. Blytheville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Coker 413	Delfos 9169	DPL Smooth Leaf	DPL 45	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other <u>1/</u>	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Arkansas:</u>											
Clay <u>2/</u>	13	10,559	-	3	1	-	4	51	26	15	100
Craighead	28	38,045	-	2	-	-	1	61	32	4	100
Greene <u>2/</u>	13	15,059	-	-	2	-	7	27	57	7	100
Mississippi	61	102,644	8	2	1	1	11	51	24	2	100
Poinsett	22	36,990	4	3	6	-	2	23	59	3	100
Classing Office Total	137	203,297	5	2	2	1	7	46	35	2	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Little Rock Classing Office.

Table 13. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Coker 413	Delfos 9169	DPL Smooth Leaf	DPL 45	DPL 45A	Stoneville 7A	Stoneville 213	Other <u>1</u> /	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Arkansas:</u>											
Arkansas	5	5,285	-	-	28	6	-	1	35	30	100
Ashley	7	24,024	-	-	37	6	-	14	38	5	100
Chicot	9	28,386	2	2	45	-	-	4	42	5	100
Clay <u>2</u> /	6	4,763	10	4	-	-	-	39	14	33	100
Cross <u>3</u> /	17	16,625	-	-	-	2	-	37	43	18	100
Desha	14	35,499	-	-	19	1	4	1	75	-	100
Drew	5	7,625	-	-	24	-	-	15	56	5	100
Hempstead	3	390	-	-	-	-	-	63	37	-	100
Jackson	15	19,781	3	-	1	-	-	3	31	62	100
Jefferson	27	49,609	1	1	27	32	24	1	11	3	100
Lafayette	4	9,821	-	-	74	3	-	-	20	3	100
Lamar	9	9,107	-	-	3	10	-	21	32	34	100
Lee	19	40,187	3	2	26	3	-	12	52	2	100
Lincoln	10	26,314	8	-	13	53	-	-	26	-	100
Lonoke	14	41,125	3	45	-	15	3	3	30	1	100
Miller	3	4,382	-	-	61	22	4	-	13	-	100
Monroe	11	23,548	-	5	63	-	-	1	21	10	100
Phillips	39	65,649	4	-	45	-	-	2	44	5	100
Pulaski	9	5,906	13	8	21	-	10	-	48	-	100
Randolph	6	3,842	1	-	15	6	-	-	24	54	100
St. Francis	24	38,835	22	-	19	-	-	15	39	5	100
White	7	2,820	-	-	28	1	-	2	7	62	100
Woodruff	11	17,279	-	-	18	3	-	6	58	15	100
Yell	3	4,654	-	-	-	3	14	8	67	8	100
All other	21	15,558	4	-	24	11	-	*	44	17	100
Classing Office Total	298	501,014	4	5	26	9	3	6	38	9	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Blytheville Classing Office.

3/ A portion of this county is served by Memphis Classing Office.

Table 14. Winnsboro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1967

State and Parish	Gins	1966 Ginnings	Coker 413	DPL Smooth Leaf	DPL 15	DPL 15A	DPL 45	DPL 45A	Stone-ville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Louisiana:</u>											
Catahoula	4	12,359	-	15	5	-	3	-	77	-	100
Concordia	6	12,524	-	29	-	-	4	-	64	3	100
East Carroll	10	35,597	8	34	*	-	1	2	55	-	100
Franklin	16	48,902	1	60	-	-	1	-	38	-	100
Madison	6	16,942	-	57	-	10	10	-	23	-	100
Morehouse	10	38,302	-	41	-	1	5	8	44	1	100
Ouachita	6	17,477	-	57	-	-	38	-	5	-	100
Richland	14	42,869	-	70	-	-	-	-	30	-	100
Tensas	6	25,738	4	45	-	1	2	8	40	-	100
West Carroll	10	26,091	11	59	-	-	*	-	30	-	100
All other	2	8,530	-	75	-	-	-	-	25	-	100
Classing Office Total	90	285,331	3	51	*	1	4	2	39	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 15. Alexandria Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1967

State and Parish	Gins	1966 Ginnings	Auburn 56	DPL Smooth Leaf	DPL 15	DPL 45	DPL 45A	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Louisiana:</u>											
Acadia	4	5,358	-	64	-	1	-	20	15	-	100
Avoyelles	11	18,869	-	13	-	12	22	18	35	-	100
Bossier	8	12,277	-	50	-	4	15	30	1	-	100
Caddo	13	28,381	3	77	-	2	-	10	7	1	100
Evangeline	10	6,663	-	72	-	-	-	24	4	-	100
Lafayette	6	5,355	-	14	-	-	-	3	83	-	100
Natchitoches	8	16,274	-	72	1	10	10	1	4	2	100
Rapides	13	24,058	-	6	-	6	51	14	23	-	100
Red River	4	6,784	-	24	9	23	-	-	44	-	100
St. Landry	19	25,472	-	57	-	4	6	22	11	-	100
All other	9	12,246	*	26	*	9	5	13	45	2	100
Classing Office Total	105	161,737	1	43	1	6	14	15	20	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 16. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Gregg	Lankart 57	Lankart 611	Lockett 4789	Northern Star #5	Paymaster 202	Stoneville 7A	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Oklahoma:</u>											
Beckham	12	12,366	1	70	-	7	2	13	-	7	100
Blaine	4	3,294	-	26	-	-	5	5	-	64	100
Caddo	15	25,354	-	82	-	5	-	-	-	13	100
Canadian	3	3,179	-	56	-	10	-	14	-	20	100
Comanche	3	636	-	61	-	-	29	-	-	10	100
Custer	4	10,976	-	94	-	1	-	-	-	5	100
Grady	5	7,103	-	97	-	-	-	-	-	3	100
Greer	7	8,539	-	76	-	3	2	6	6	7	100
Harmon	6	12,935	-	20	-	-	7	2	13	58	100
Jackson	12	24,018	-	41	-	11	2	-	12	34	100
Jefferson 2/	-	-	-	-	-	-	-	-	-	-	-
Kiowa	8	17,521	-	89	-	-	6	-	-	5	100
Roger Mills	3	2,795	-	25	-	26	-	44	-	5	100
Tillman	12	24,009	-	89	-	5	-	4	-	2	100
Washita	10	19,362	-	86	-	3	-	4	-	7	100
All other	4	4,220	-	76	-	5	-	-	-	19	100
Total	108	176,307	*	72	-	5	2	4	3	14	100
<u>Texas:</u>											
Briscoe	7	8,356	-	11	13	-	-	16	-	60	100
Childress	4	16,448	-	38	-	3	24	-	-	35	100
Collingsworth	7	21,909	17	63	4	2	1	-	-	13	100
Cottle	6	10,337	-	56	8	9	16	-	-	11	100
Donley	4	7,622	20	9	-	2	-	19	-	50	100
Foard	3	3,938	-	29	-	52	15	-	-	4	100
Hall	13	36,714	7	38	10	3	5	14	3	20	100
Hardeman	5	10,498	-	62	23	4	1	5	-	5	100
Motley	4	4,870	-	14	16	-	17	-	-	53	100
Wheeler	7	8,505	7	22	39	2	-	13	-	17	100
Wilbarger	9	17,046	-	19	11	24	6	-	-	40	100
All other	5	7,068	-	67	-	-	29	-	-	4	100
Total	74	153,311	5	37	10	6	8	7	1	26	100
Classing Office Total	182	329,618	3	56	5	5	4	5	2	20	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

2/ Data for this county listed under Dallas Classing Office.

Table 17. Dallas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	DPL Smooth Leaf	Lankart 57	Lankart 611	Lockett 4789	Parrott	Pay-master 202	Stone-ville 2B	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Bowie	3	3,343	78	-	-	-	-	-	1	21	100
Collin	20	46,489	-	90	7	1	-	-	-	2	100
Delta	6	14,610	-	59	2	34	-	-	1	4	100
Denton	4	5,036	-	74	26	-	-	-	-	-	100
Ellis	25	63,103	-	80	5	10	-	-	-	5	100
Fannin	15	21,237	-	86	3	7	-	-	-	4	100
Grayson	6	9,465	-	95	-	1	-	-	-	4	100
Hill	19	52,767	-	91	2	6	-	-	-	1	100
Hopkins	3	1,603	-	97	-	1	-	-	-	2	100
Hunt	14	28,842	-	90	-	4	-	-	-	6	100
Johnson	6	14,312	-	92	-	6	-	-	-	2	100
Kaufman	5	16,117	-	98	-	1	-	-	-	1	100
Lamar	9	17,017	7	72	3	8	-	-	-	10	100
Limestone	3	2,806	-	65	-	25	-	-	-	10	100
Navarro	11	28,656	-	88	-	11	-	-	-	1	100
Red River	4	5,737	-	29	15	12	-	-	-	44	100
Rockwall	5	11,342	-	89	1	2	-	-	-	8	100
Tarrant	3	6,610	-	71	11	3	-	-	-	15	100
All other	17	22,475	-	81	7	1	-	-	-	11	100
Total	178	371,567	1	84	4	8	-	-	*	3	100
<u>Oklahoma:</u>											
Bryan	4	4,724	2	28	1	9	20	-	-	40	100
Jefferson 2/	3	2,174	-	44	25	-	7	-	-	24	100
Logan	3	1,261	-	68	-	12	-	10	-	10	100
Muskogee	5	5,976	61	21	2	-	16	-	-	-	100
All other	21	20,510	29	37	4	3	5	11	4	7	100
Total	36	34,645	28	35	4	3	9	7	2	12	100
Classing Office Total	214	406,212	3	79	4	6	1	1	*	6	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

2/ Includes portion of county served by Altus Classing Office.

Table 18. Austin Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Anton 99	DPL Smooth Leaf	Lankart 57	Lockett 4789	Qualla 10	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Austin	10	6,971	6	10	10	10	1	7	40	16	100
Bastrop	3	2,847	22	-	68	-	-	-	-	10	100
Bell	13	17,657	8	-	84	2	-	-	-	6	100
Brazoria	5	4,504	-	25	-	-	-	70	4	1	100
Brazos	7	18,199	-	47	-	-	-	4	46	3	100
Burleson	8	13,418	-	6	11	-	5	5	68	5	100
Caldwell	5	7,106	37	-	10	-	-	-	-	53	100
Colorado	3	5,934	9	8	28	-	-	19	24	12	100
Coryell	3	5,281	-	-	93	-	3	-	-	4	100
Falls	11	11,904	1	24	54	3	-	-	12	6	100
Fayette	5	5,621	48	-	28	-	-	-	-	24	100
Fort Bend	17	24,006	53	-	-	-	-	24	16	7	100
Grimes	3	2,129	-	37	5	-	7	21	17	13	100
Guadalupe	5	5,594	6	-	60	5	5	-	-	24	100
Hays	3	4,437	12	-	36	16	-	-	-	36	100
Houston	3	7,687	-	16	12	-	-	34	31	7	100
Lavaca	10	7,692	12	2	64	-	6	1	-	15	100
McCulloch	4	3,472	-	-	20	-	-	-	-	80	100
McLennan	14	27,653	3	-	88	2	1	-	-	6	100
Milam	8	14,834	2	1	77	8	1	-	-	11	100
Robertson	5	22,971	-	24	1	5	-	-	65	5	100
Travis	7	7,804	11	-	78	-	7	-	-	4	100
Washington	5	6,020	14	21	12	-	8	20	15	10	100
Williamson	31	42,409	4	-	70	7	3	-	-	16	100
Zavala	3	8,406	-	87	1	-	-	-	11	1	100
All other	24	21,700	-	43	43	-	1	2	2	9	100
Classing Office Total	215	306,256	5	17	43	3	2	5	15	10	100

1/ Includes small acreages planted to varieties other than those specified.

Table 19. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	DPL Smooth Leaf	Lankart 57	Lankart 611	Rilcot 90	Stone-ville 7A	Stone-ville 213	Storm King	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Bee	3	4,485	-	25	26	6	6	3	15	19	100
Calhoun	5	5,562	24	-	-	-	27	32	-	17	100
Jackson	5	2,886	25	1	-	-	27	6	-	41	100
Jim Wells	4	8,113	-	16	5	18	5	-	-	56	100
Karnes	5	5,723	-	54	23	-	1	1	-	21	100
Matagorda	7	4,304	52	-	-	-	34	9	-	5	100
Nueces	26	66,624	1	1	9	2	63	13	-	11	100
Refugio	4	9,586	14	-	21	-	28	31	-	6	100
San Patricio	21	59,161	9	5	31	-	30	16	-	9	100
Victoria	8	6,632	9	14	7	-	10	13	34	13	100
Wharton	19	30,723	10	-	-	-	58	14	-	18	100
All other	6	7,329	17	21	4	-	30	10	-	18	100
Classing Office Total	113	211,128	8	6	15	1	42	14	1	13	100

1/ Includes small acreages planted to varieties other than those specified.

Table 20. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	DPL	DPL Smooth Leaf	Lankart	Lockett	Stone-ville 7A	Stone-ville 213	Tide-land	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Cameron	34	108,805	5	4	-	1	67	19	2	2	100
Hidalgo	26	98,867	-	3	2	-	58	31	3	3	100
Willacy	13	42,217	-	1	1	2	60	35	-	1	100
All other	2	4,565	-	-	11	7	17	53	-	12	100
Classing Office Total	75	254,454	2	3	1	1	61	27	2	3	100

1/ Includes small acreages planted to varieties other than those specified.

Table 21. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Acala 1517	Lankart 57	Lankart 611	Lockett 4789	Northern Star #5	Paymaster 101A	Western Storm-proof	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Baylor	3	7,311	1	83	-	-	7	-	2	7	100
Coleman	3	6,791	-	28	3	4	52	-	12	1	100
Dickens 2/	5	9,173	-	57	7	-	-	9	14	13	100
Fisher	8	45,231	-	16	1	-	2	-	72	9	100
Glasscock	3	11,312	70	15	-	-	-	-	15	-	100
Haskell	12	52,745	-	88	-	1	5	-	-	6	100
Howard 3/	9	42,656	-	5	-	2	13	-	67	13	100
Jones	16	66,968	-	85	10	-	3	-	-	2	100
Knox	8	16,818	4	41	-	12	-	-	1	42	100
Martin 3/	7	38,728	64	5	-	16	-	-	5	10	100
Midland	3	11,181	2	24	-	22	-	-	7	45	100
Mitchell	7	32,989	-	10	-	12	-	-	75	3	100
Nolan	6	27,773	-	22	3	-	16	24	33	2	100
Runnels	14	24,679	-	73	8	2	-	-	10	7	100
Scurry	9	46,802	-	10	2	4	1	29	46	8	100
Taylor	5	10,060	-	64	7	2	-	-	19	8	100
Tom Green	7	11,229	-	80	9	9	-	-	2	-	100
All other	12	18,606	-	65	2	14	3	-	14	2	100
Classing Office Total	137	481,052	8	42	3	5	4	4	28	6	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Lubbock Classing Office and is included in the data for "all other".

3/ A portion of this county is served by Lubbock Classing Office.

Table 22. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Gregg 35	Lankart 57	Lankart 611	Lockett 4789	Pay-master 101A	Pay-master 111	Rilcot 90	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Bailey	21	58,335	19	5	-	12	1	15	17	31	100
Castro	15	25,721	18	-	-	-	4	34	11	33	100
Cochran	15	37,118	9	2	2	5	-	10	38	34	100
Crosby	20	83,296	-	44	1	-	-	31	-	24	100
Dawson	25	126,076	1	21	13	3	-	17	-	45	100
Deaf Smith	3	7,042	50	-	-	-	-	-	5	45	100
Floyd	22	56,013	2	24	5	-	6	44	-	19	100
Gaines	17	53,182	3	9	-	-	-	42	1	45	100
Garza	6	10,773	2	52	-	-	2	-	-	44	100
Hale	35	96,259	8	19	2	-	18	29	-	24	100
Hockley	35	115,714	8	23	5	4	5	26	13	16	100
Howard 2/	3	14,219	-	-	-	50	-	50	-	-	100
Lamb	34	96,691	19	5	-	-	20	14	15	27	100
Lubbock	40	153,869	2	39	6	2	2	9	-	40	100
Lynn	24	100,475	1	37	14	9	1	7	-	31	100
Martin 2/	4	24,626	-	7	-	23	-	27	-	43	100
Parmer	16	29,881	26	1	-	-	5	27	21	20	100
Swisher	13	23,013	5	3	-	-	29	42	6	15	100
Terry	21	88,069	11	26	17	1	-	20	-	25	100
Yoakum	9	29,218	1	12	10	2	-	12	1	62	100
All other	2	6,386	20	-	20	5	20	-	-	35	100
Total	380	1,235,976	7	23	6	4	5	21	5	29	100
<u>New Mexico:</u>											
Roosevelt	5	9,323	30	5	7	7	10	8	7	26	100
All other	1	1,360	80	-	-	-	-	-	5	15	100
Total	6	10,683	37	4	6	6	9	7	7	24	100
Classing Office Total	386	1,246,659	7	22	6	4	5	21	5	30	100

1/ Includes small acreages planted to varieties other than those specified.
2/ A portion of this county is served by Abilene Classing Office.

Table 23. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Acala BR-2	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517 Stroman Select	Del Cerro	Hopicala	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
El Paso	12	34,659	*	66	16	15	1	1	1	*	100
Hudspeth	3	8,217	-	72	12	10	1	5	-	-	100
All other	3	5,477	30	35	4	15	-	-	1	15	100
Total	18	48,353	3	64	14	14	*	2	1	2	100
<u>New Mexico:</u>											
Dona Ana	13	40,332	-	36	16	24	11	5	4	4	100
Luna	4	18,938	-	40	41	11	2	4	1	1	100
All other	4	8,987	-	39	15	41	4	*	*	1	100
Total	21	68,257	-	37	23	23	8	4	3	2	100
<u>Arizona:</u>											
Cochise	6	15,533	-	38	44	6	11	1	*	-	100
All other	3	14,026	-	46	53	-	1	-	-	-	100
Total	9	29,559	-	42	48	3	6	1	*	-	100
<u>Classing Office Total</u>											
	48	146,169	1	47	25	16	5	2	2	2	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 24. Carlsbad Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Acala 1517 BR2	Acala 1517C	Acala 1517D	Acala 1517V	Del Cerro	New Mexico 20	Stoneville 7A	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>New Mexico:</u>											
Chaves	8	34,736	6	47	17	28	-	2	-	-	100
Eddy	10	28,995	22	29	21	25	-	1	-	2	100
Lea	7	14,726	70	11	4	9	-	-	-	6	100
All other	1	242	-	-	55	-	-	-	-	45	100
Total	26	78,699	24	34	16	23	-	1	-	2	100
<u>Texas:</u>											
Pecos	7	20,637	17	77	-	1	5	-	*	*	100
Reeves	12	42,752	1	71	1	9	11	-	3	4	100
Total	19	63,389	6	74	1	6	9	-	2	2	100
<u>Classing Office Total</u>											
	45	142,088	16	52	9	15	4	1	1	2	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 25. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Acala SJ-1	Acala 4-42	Delta-pine Smooth Leaf	Delta-pine 5540	Hopi-cala	Imperial Acala	Stone-ville 213	Other <u>1/</u>	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Arizona:</u>											
Maricopa	42	170,453	1	4	77	*	11	4	1	2	100
Pima	8	27,338	4	41	7	*	29	2	8	9	100
Pinal	44	183,968	2	8	65	3	7	6	9	*	100
Yuma <u>2/</u>	4	9,001	-	-	76	-	-	9	-	15	100
Classing Office Total	98	390,760	2	8	66	1	10	5	5	3	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by El Centro Classing Office.

Table 26. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Acala SJ-1	Acala 4-42	---	---	---	---	---	---	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>California:</u>											
Fresno	73	355,686	98	2	-	-	-	-	-	-	100
Kings <u>1/</u>	8	35,677	99	1	-	-	-	-	-	-	100
Madera	15	52,596	99	1	-	-	-	-	-	-	100
Merced	10	50,051	89	11	-	-	-	-	-	-	100
Tulare <u>1/</u>	9	37,298	76	24	-	-	-	-	-	-	100
Classing Office Total	115	531,308	96	4	-	-	-	-	-	-	100

1/ A portion of this county is served by Bakersfield Classing Office.

Table 27. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Acala SJ-1	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	---	---	---	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>California:</u>											
Kern	58	325,434	98	2	-	-	-	-	-	-	100
Kings <u>1/</u>	14	127,520	100	-	-	-	-	-	-	-	100
Tulare <u>1/</u>	30	127,914	98	2	-	-	-	-	-	-	100
Total	102	580,868	98	2	-	-	-	-	-	-	100
<u>Nevada:</u>											
Total	1	3,534	-	-	17	26	57	-	-	-	100
Classing Office Total	103	584,402	98	2	*	*	*	-	-	-	100

* Less than 0.5 percent.

1/ A portion of this county is served by Fresno Classing Office.

Table 28. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1967

State and County	Gins	1966 Ginnings	Acala SJ-1	Del Cerro	Delta-pine 16	Delta-pine Smooth Leaf	Hopi-cala	Imperial Acala	Stone-ville 213	Other <u>1/</u>	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>California:</u>											
Imperial	18	84,322	-	2	20	35	-	39	4	*	100
Riverside	8	45,499	4	-	*	66	-	30	-	*	100
Total	26	129,821	1	2	13	45	*	36	3	*	100
<u>Arizona:</u>											
Yuma <u>2/</u>	11	55,509	-	*	-	89	*	9	1	1	100
Total	11	55,509	-	*	-	89	*	9	1	1	100
Classing Office Total	37	185,330	1	1	9	59	*	28	2	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Phoenix Classing Office.

Table 29. Estimated percentage of American-Egyptian cotton acreage planted to specified varieties, by states, 1963-1967

State and Year	A-E ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	Pima Stroman Select	Other ^{1/}	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
Arizona								
1963	77,711	1	99	-	-	-	-	100
1964	54,603	1	99	-	-	-	-	100
1965	44,833	5	95	-	-	-	-	100
1966	36,176	3	95	1	1	-	-	100
1967	-	1	53	9	37	-	-	100
California								
1963	1,334	-	100	-	-	-	-	100
1964	1,200	-	100	-	-	-	-	100
1965	910	-	100	-	-	-	-	100
1966	585	-	100	-	-	-	-	100
1967	-	-	80	-	20	-	-	100
New Mexico								
1963	19,433	26	74	-	-	-	-	100
1964	14,445	38	61	-	-	-	1	100
1965	8,437	45	51	-	-	2	2	100
1966	8,639	34	57	3	-	6	-	100
1967	-	19	46	20	-	15	-	100
Texas								
1963	62,733	29	71	-	-	-	-	100
1964	46,435	25	74	-	-	-	1	100
1965	31,404	31	66	-	-	-	3	100
1966	25,754	29	66	5	-	-	-	100
1967	-	14	63	23	-	-	-	100
United States								
1963	161,211	14	86	-	-	-	-	100
1964	116,683	14	85	-	-	-	1	100
1965	85,584	21	78	-	-	*	1	100
1966	71,154	16	80	2	1	1	-	100
1967	-	8	56	15	19	2	*	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 30. Estimated percentage of American-Egyptian cotton acreage planted to specified varieties, by classing office territories, crop of 1967

Classing office territory and County	Gins	1966 A-E ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	Pima Stroman Select	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>El Centro territory</u>									
<u>California:</u>									
Riverside	1	585	-	80	-	20	-	-	100
Total	1	585	-	80	-	20	-	-	100
<u>El Paso territory</u>									
<u>Arizona:</u>									
Graham	3	12,124	2	41	26	31	-	-	100
<u>New Mexico:</u>									
Dona Ana	6	8,639	19	46	20	-	15	*	100
<u>Texas:</u>									
El Paso	9	21,646	13	62	25	-	-	-	100
Hudspeth	2	675	17	25	58	-	-	-	100
Total	20	43,084	11	52	25	9	3	*	100
<u>Carlsbad territory</u>									
<u>Texas:</u>									
Reeves	2	3,433	24	75	1	-	-	-	100
Total	2	3,433	24	75	1	-	-	-	100
<u>Phoenix territory</u>									
<u>Arizona:</u>									
Maricopa	8	12,017	-	45	-	55	-	-	100
Pima	3	4,428	-	91	-	9	-	-	100
Pinal	5	7,607	-	66	-	34	-	-	100
Total	16	24,052	-	60	-	40	-	-	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

NATIONAL AGRICULTURAL LIBRARY



1022919555